
The 150-Kilo Millennium Coffee Roaster

Patent Pending





<u>NEW FOR 2021!</u> Stainless cooler liner, 4" magnehelic gauges for air flow and gas pressure, digital environmental air temp gauge, and air dampener control at NO CHARGE. Variable drum speed control. Magnetics in Cooler discharge

FRAME

- Heavy-duty stainless steel drum, cooler screen, and cooler
- Double insulated housings. Cool Operating surfaces
- Easy to service roaster fan and separate fan for cooler
- Cooler designed for easy cleaning with safety stops.
- Industrial gear drives for smooth operation of drum and cooler stirrer, with no bulky belts.
- Equipped with heavy duty direct drive steel-cooling fan.
- Heavy-duty motors with UL 508-A approved industrial control system and motors, adjustable overloads and contactors.
- Adjustable legs for ease of movement and cleaning
- Easy to adjust housing for the main drum bearing in designed to keep the bearing cooler and lubricated
- Grooved faceplate to seal drum for less product loss
- Water jet and precision milled steel parts made in-house

OPERATION

- 24 volt operator controls for safe operation.
- Even and accurate heat controls;
- Cast iron rectangular burners with large venture mixers or power burner featuring name brand burners with fast turn down.
- Free Standing cyclonic chaff collector. One for cooler optional
- Standard lighted push button on-off switches, motor starters and overloads with fault protection.
- Two 4" gas gauges provided for incoming gas pressure and outgoing gauge at gate valve to adjust burner output.
- Profiler model has programmable and digital control 8" color.
- All models include digital bean probe with controller and alarm and environment temp gauge



SPECIFICATIONS

150 Kilo Model (330 lb) Coffee Roaster. Four roasts per hour. Designed for easy operation, low maintenance, and a long lifetime. Your choice of several standard colors, trim types and finishes.

- Weight: 6550 lbs.
- Total Dimensions¹: 160"x106"x129" (LxWxH)
- 100,000 800,000 BTUs adjustable
- Gas Supply: 1" Pipe with Natural at 11" w.c. or Propane at 11" w.c.
- Quenching requires a 3/8th inch water line. 3 gpm at 50psi (for applicable models)
- Stainless Drum and Cooler

[1] Allow 18" clearance minimum for service. Dimensions do not include chaff collector.

[2] Use Class A type positive pressure piping

[3] Special note for Propane or bottled gas, it is highly recommended for your safety that you purchase a quality propane regulator from a Professional source. You must have the correct regulator for the type of supply that you are connecting the roaster to. Changing supply type can or not having the regulator set to the pressure needs of the roaster or the source can be safety hazard and also damage the roaster. If you have needs for regulator please contact one of our Engineering staff for the correct one.

Last Updated: 1/01/2025

			American Made, Tranc Bane Quality
Models		Aesthetic Options (continued)	
	150-Kilo Touchscreen Model with 8" color screen, this is a		Pin striping
	complete roaster with you choice of burners \$318,970		Two tone paint
			Clear coat over paint with metal flake
Touchscreen Profiler features			Chrome bean chute
_			Chrome face plate
	Large PLC memory for 999 profiles		
	Wireless touchscreen to connect to iPhone/iPad	Op	erational Options
	10 in color display		Maintenance hour meter
	Flow meter on water quenching		Digital roast timer included
	Air gates on cooler discharge or green bean hopper		Environmental air temperature with digital read-out
			Automatic quenching for drum or cyclone
Aesthetic Options			Bean light
	i &		Install extra bean thermocouple for customers data logger
_	(non PLC)		Phidget with USB connection and two thermocouples in-
	1		stalled
	Smooth or dimensional stainless or hammered copper		Drum speed control included
_	drum wrap		Cooler Stirrer Speed
	Company logo add to machine,		Cleaning kit
	Hammered copper cooler wrap		Roaster controls on control head
	Destoner, Loader, Afterburner /(fuel saving)		Magnet in cooler discharge included
	Cooler Smoke reduction		Eclipse or Maxon Power Burner Unit
	Silos and Distribution Systems. / Roller Grinders		ludes, SS Roasting Drum and Cooler. Fidget for Data Log-
	Green Cleaners		g, Roasting drum is ground to meet Faceplate Groove for
	Mixers whole bean and ground	soli	id lock up. Magnetic in cooler/

About Us. The U.S. Roaster Corp. is famous for producing the world's finest roasters that create the best roasted coffee. Partnering with coffee roast masters world-wide we have developed a line of roaster of superior design, unmatched quality, great reliability, and ease of use. Our Millennium line of roasters provide the roast master with unlimited profile capabilities and unparalleled roast quality. By the second crack you will know why the "Quality of the Roast" comes first at U.S. Roaster Corp. Over a Dozen Complete Plants have been designed and installed by us.

Free One-on-one training session is provided in Oklahoma City!

Contact us for information

1530 West Main St.
Oklahoma City, OK. 73106
405.232.1223.
dan@roastersexchange.com

www.usroastercorp.com

All local codes to be followed on install. We reserve the right to make changes due to ongoing improvements.

